Listing of Claims:

Claims 1-7. (Canceled)

8. (Currently Amended) A <u>first</u> subscriber identifying module including a microcontroller in a mobile telecommunication network which is configured to communicate with at least one remote system in the mobile telecommunication network, said <u>first</u> subscriber identifying module and said remote system being adapted to store at least one parameter identifying a user in the network, said <u>first</u> subscriber identifying module comprising:
a one-time account identifier designed for a one-time logon to the network; and

a permanent account identifier, said permanent account identifier being deactivated;

wherein said one-time and permanent account identifier are prestored in said at least one
remote system, and

wherein said microcontroller is programmed to:

- a) use the one-time account identifier to logon to the network when said <u>first</u> subscriber identifying module is switched on;
- b) exchange the one-time account identifier with the permanent account identifier in the <u>first</u> subscriber identifying module upon successful logon to the network as the active account identifier in [[a]] <u>the first subscriber identifying module</u> <u>data processing-device</u>; and
- c) upon successful logon to the network, send an activation request for deactivating in said at least one remote network the permanent account identifier attached to the first <u>subscriber identifying module data-processing device</u>,

wherein the step b) is performed in said first <u>subscriber identifying module</u> data processing device by means of <u>by</u> an auto-activation application executed after receiving a message from the network informing a successful logon.

- 9. (Currently Amended) The <u>first</u> subscriber identifying module according to claim 8, wherein the account identifier attached to the <u>first</u> subscriber identifying module identifies the same account as [[the]] <u>an</u> account identified by [[the]] <u>an</u> account identifier attached to a second subscriber identifying module <u>data processing device</u>.
- 10. (Currently Amended) The <u>first</u> subscriber identifying module according to claim 8, wherein the permanent account identifier attached to the first subscriber identifying module identifies an account which is different from <u>an</u> [[the]] account identifier attached to [[the]] a second <u>subscriber</u> identifying module <u>data processing device</u>.
- 11. (Currently Amended) The <u>first</u> subscriber identifying module according to claim 8, wherein the first subscriber identifying module stores <u>an</u> [[the]] account identifier attached to [[the]] a second subscriber identifying module and the first subscriber identifying module is programmed for transmitting said account identifier attached to the second subscriber identifying module to the said at least one remote system.
- (Currently Amended) The <u>first</u> subscriber identifying module according to claim
 wherein said <u>first</u> subscriber identifying module is a SIM card.

13. (Currently Amended) The <u>first</u> subscriber identifying module according to claim 8, wherein the logon step a) is performed in a centralized remote system and, after receiving the activation request from said <u>first subscriber identifying module</u> device, said centralized remote system sends commands to said at least one remote system for exchanging the current active account corresponding to a second <u>subscriber identifying module</u> data processing device into the new active account corresponding to the first <u>subscriber identifying module</u> data processing device.

14. (Canceled)

15. (Currently Amended) A remote telecommunication system in a mobile telecommunication network, wherein the remote telecommunication system is configured for communicating with a subscriber identifying module, said remote telecommunication system storing:

a one-time account identifier for a one-time logon of a <u>first</u> subscriber identifying module to the network:

a permanent account identifier attached to <u>a second subscriber identifying module</u> an original-data-processing device; and

a set of instructions for accepting logon of a replacement the first subscriber identifying module in the network and treating an activation request sent from an auto-activation application executed in the replacement first subscriber identifying module by the following operations: deactivating the permanent account identifier attached to the original second subscriber

identifying module and[[,]] activating the <u>one-time</u> account identifier attached to the <u>first</u> subscriber identifying module replacement data processing device.

- 16. (Currently Amended) The remote telecommunication system according to claim 15, wherein the remote telecommunication system is programmed for associating the <u>permanent</u> account identifier attached to the <u>second original</u> subscriber identifying module with the same account as the account identified by the <u>one-time</u> account identifier attached to the <u>first subscriber identifying module replacement data-processing-device</u>.
- 17. (Currently Amended) The remote telecommunication system according to claim
 15, wherein the remote telecommunication system is programmed for associating a [[the]]
 permanent account identifier attached to the first subscriber identifying module to an account
 which is different from the account identified by the permanent account identifier attached to the
 second subscriber identifying module data processing device.
- 18. (Currently Amended) The remote telecommunication system according to claim 15, wherein the remote system determines the account identifier to be deactivated from the permanent account identifier attached to the second <u>subscriber identifying module processing</u> device as transmitted by the first <u>subscriber identifying module data processing device</u>.
- 19. (Previously Presented) The remote telecommunication system according to claim 15, wherein the one-time account identifier is the same for a set of subscriber identifying modules in the network.

 (Currently Amended) A method for activating a subscriber identifying module in a telecommunication network, said method comprising the steps of:

providing a first subscriber identifying module which stores a one-time account identifier designed for a one-time logon to the network and which also stores a permanent account identifier, said permanent account identifier being deactivated, said first subscriber identifying module being programmed to automatically, upon successful one-time logon to the network, exchange the one-time account identifier with the permanent account identifier in said first subscriber identifying module and send an activation request to a remote network system for activating said permanent account identifier attached to [[a]] the first subscriber identifying module data processing; and

providing a remote network system which stores an active account identifier attached to a second subscriber identifying module, said remote network system being programmed for treating the activation request originating from the first subscriber identifying module by the operations which include deactivating the account identifier attached to the second original subscriber identifying module and activating the account identifier attached to the first subscriber identifying module.

21. - 30. (Canceled)